

## E-170

Nitrogen Generation and Conversion System

## THE COMPANY THAT STARTED IT ALL HAS DONE IT AGAIN ...WE'VE MADE THE BEST EVEN BETTER!

The NitroFill E-170 is the standard against which all other automotive nitrogen generation systems are measured. With more units in service than most other models and manufacturers combined, the NitroFill E-170 has earned a reputation for unrivalled performance and durability...and now it's even better.

We have made the fastest, most efficient and easiest to use system on the planet *even faster, more efficient* and easier to use by upgrading our patented design and technology to provide quicker conversions and an amazing 13.5 cfm output!.



## Features:

- Converts up to 6 tires to NitroFill simultaneously at the touch of a button.\*\*
- Complete, Turn-Key, fully assembled system, nothing else to buy.
- Fully Automated, fully programmable, micro-processor controlled conversion system.
- Advanced Mode Options including: "Auto-On," "Auto-Off", "Over-Pressure," and more.
- Comprehensive error reporting and self-diagnostic features.
- Large back-lit LCD display with audio and visual signals.
- Advanced PSA design generation system.
- Twin, exterior mounted high performance inlet air filters.
- Instant and uninterrupted flow with guaranteed purity up to 99.9%.
- One Size Fits All design. "Best in Class" 13.5 cfm output and optional storage tank make the E-170 a fit for almost any size automotive service facility.
- 5 year warranty\*
- \*See your NitroFill Distributor or visit www.nitrofillnow.com for details
- \*\*Includes 4 Tire Service hoses

## **General Specifications**

Power Requirement
Operating Temperature
Compressed Air Input Range
Compressed Air Quality
Nitrogen Purity
Nitrogen Output

Maximum Nitrogen Pressure in Tank
Operating Range

Recommended Inlet Supply Pressure

Accuracy
Display Increments
Units of Measurement
Shipping Weight
Dimensions (Container)
Dimensions (Unit)

100-120Vac 50/60Hz

-4°F to 158°F 100-200psi 0.01ppm

95-99+% (Adjustable)

13.5 CFM rated at 160psi, 80°F.

145-174psi 5-162psi

44 psi above the maximum set pressure of the unit.

+/-1 psi 1 psi psi, kPa, bar

465 Pounds

57"H x 28.5"W x 26"D 52"H x 28"W x 24"D