



**PREVENTATIVE
MAINTENANCE SOLUTIONS**

SMART TECH™ ENGINE-FLUSH MACHINE

MODEL #96560 U.S. Patent No. 6,698,472 B2

KEY FEATURES:

- THE MOC® SMART TECH™ ENGINE-FLUSH SERVICE IS COMPLETED IN JUST 10 MINUTES
- INCLUDES A QUICK-DISCONNECT STANDARD ADAPTOR SYSTEM
- THE MOC® SMART TECH™ ENGINE-FLUSH SERVICE PUMP PICKUP SCREEN
- FULLY-AUTOMATIC OPERATION ONCE CONNECTIONS ARE MADE
- CUSTOM TOUCH-SCREEN DISPLAY WITH SELF-DIAGNOSTICS AND USER PROMPTS
- A HIGH-FLOW, DUAL-PUMP SYSTEM UTILIZES BOTH PRESSURE & SUCTION
- UTILIZES A FLUID-FLOW METER SYSTEM THAT HELPS ELIMINATE THE POSSIBILITY OF ENGINE OVERFILLS

MOC®'s SMART TECH™ Engine-Flush Machine Allows a Technician to Completely Flush the Internal Lubrication System of the Engine.

OVERVIEW: By using the **MOC® SMART TECH™ Engine-Flush Machine**, you can obtain a cleaner engine and longer engine life.

THE SERVICE: The **MOC® SMART TECH™ Engine-Flush Machine** utilizes customized adaptors and specially formulated solution to dissolve and evacuate accumulations of sludge, tar, varnish, and wear metals. The 10-minute service is performed with the engine off. Using pulsating action, the **MOC® SMART TECH™ Engine-Flush Machine** circulates a specially formulated, heated petroleum-based solution over the main bearings, through the oil passages, over the valve train, and to the oil pan. Sludge, contaminants and residual engine oil are evacuated from the oil pan by suction.



SPECIFICATIONS:	
Dimensions:	40" H x 26" W x 22" D
Weight (dry):	75 lbs. (34.019 kg)
Chassis:	Linear low-density Polyethylene
Power:	110 V / shop air 75 psi min.
Tank:	Capacity – 60 quarts / 15 gallons
Hoses:	15 ft. high temp. w/ shut-off couplers
Limited Warranty:	1 year, parts and labor

