



FUEL SYSTEM TREATMENT

AUTOMOTIVE ADDITIVES & LUBRICANTS - #0106

OUTSTANDING FEATURES

- Helps Maintain Fuel System Performance keeps engines running cleanly to operate more efficiently.
- Keeps Injector Tips Clean for Better Fuel Flow clean engines maximize fuel efficiency.
- Protects will not cause harm to catalytic converters or fuel systems.
- Versatile Can be used in leaded or unleaded fuel.

DESCRIPTION

Designed to prevent deposit build-up in the fuel system, including the fuel injectors, intake valves and combustion chambers. By preventing buildup of harmful deposits, this product helps avoid problems such as stalling, hesitation, power loss and restricted fuel flow. MOC® Fuel Injector Cleaner can be used with leaded or unleaded fuel, and it will not harm catalytic converters or oxygen sensors.

APPLICATION

Add 8oz of product to the fuel tank to treat up to 15-18 gallons of fuel.

SPECIFICATIONS

<u>Test</u>	ASTM Method	Typical Results
Appearance	-	Clear & Bright
Color	-	Amber - Light Brown
Odor	-	Solvent
Density (g/mL)	D4052	0.82
Density, U.S. (lbs/gal), calculated	-	6.84
Boiling Point (°F)	-	>422
Flash Point (°F) PMCC	D93	192

PACKAGING

<u>Fill:</u> 8 oz.	Case Quantity: 24 Bottles	Case Weight: 13 lbs.
<u>Fill:</u> 5 gal.	Case Quantity: 1 cube	Case Weight: 38.36 lbs.
<u>Fill:</u> 55 gal.	<u>Case Quantity:</u> 1 drum	Case Weight: 406.6 lbs.