

# GEAR GUARD™ PLUS SAE 75W-90

AUTOMOTIVE ADDITIVES & LUBRICANTS - #0427



## OUTSTANDING FEATURES

- Superior lubrication and protection for bearings and gears.
- Helps prevent wear, pitting, gear noise and corrosion under high-load conditions.
- Excellent fluidity and protection in extreme temperatures.
- Contains special additives to reduce chattering in limited-slip differentials.
- Meets stringent industry standards, including API GL-5, MT-1 and SAE J2360 specifications.
- Recommended for Ford M2C-192A, GM 12346140, Chrysler MS-8985, or where GL-5 SAE 75W-90 gear oil is specified.
- Recommended for Toyota LX or where GL-5 SAE 75W-85 gear oil is specified.

## DESCRIPTION

A multigrade synthetic (polyalphaolefin), A.P.I. GL-5 rated gear oil formulated to SAE 75W-90 viscosity. It is a premium extreme-pressure lubricant designed for use in axle applications requiring limited-slip performance but can also be used in conventional differentials. **MOC® Gear Guard™ Plus SAE 75W-90** is a versatile product that can be used in place of **SAE 75, SAE 75W-85, SAE 80, SAE 80w-90, SAE 90** oils and eliminates the need for supplemental friction modifiers such as **Ford M2C118-A, Chrysler MS-5630, GM 1052358, GM 19351882, Mitsubishi DIA Queen LSD**. It is designed to provide excellent extreme pressure protection, load carrying capacity, anti-foam performance, corrosion protection, and thermal stability protection.

## APPLICATION

Follow vehicle manufacturer's recommendations for use of product. Gear Guard™ Plus is designed to be used in conjunction with MOC® Differential/Driveline service equipment and tools.

## SPECIFICATIONS

Test	ASTM Method	Typical Results
Appearance	-	Oil
Color	-	Amber
Odor	-	Petroleum
Density (g/mL) @68 °F	D4052	0.85
Density, U.S. (lbs/gal), calculated @68 °F	-	7.09
Viscosity @ 100°C, cSt	D445	13.5-18.5
Viscosity @ 40°C, cSt	D445	~120
Brookfield Viscosity @ -40° C, cP	D2983	<150,000

## PACKAGING

<b>Fill:</b> 1 quart	<b>Case Quantity:</b> 12 Bottles	<b>Case Weight:</b> 24.14 lbs.
<b>Fill:</b> 16 gal	<b>Case Quantity:</b> 1 drum	<b>Case Weight:</b> 125.1 lbs.