MOC PRODUCTS

BOOST

AUTOMOTIVE ADDITIVES & LUBRICANTS - #0442

OUTSTANDING FEATURES

- Protects and keeps fuel fresh for an extended period.
- Antioxidants & special lubricants protect against corrosion and moisture damage.
- Can restore performance, power, and fuel efficiency.
- Dissolves stubborn combustion chamber, intake, and injector carbon deposits.

DESCRIPTION

Created specifically to give the latest hybrid engines the extra attention they need to perform at their best. Adding ***BOOST*** Fuel Stabilizer to the fuel tank can keep gasoline fresh, and prevent corrosion, moisture damage, and carbon deposits while it restores power, performance, and fuel efficiency.

APPLICATION

Pour entire contents of bottle into fuel tank. Caution: make sure tank has a minimum of eight gallons of gas. Less dilution may cause erratically-running engine during the cleaning cycle.

SPECIFICATIONS

Test	ASTM Method	Typical Results
Appearance	-	Petroleum Distillates
Color	-	Clear, Colorless
Odor	-	Solvent
Density, U.S. (g/ml) @ 68°F	D4052	~0.86
Density, U.S. (lbs./gal) @ 68°F (calculated)	-	~7.2
Boiling Point (°F)	-	≥311
Flash Point (°F) (based on components)	-	~111
% V.O.C.	-	28.5

PACKAGING

Fill: 10 oz. ***Case Quantity:*** 24 Bottles ***Case Weight:*** 12 lbs.

© 2025 Product Performance & Data Sheet All rights reserved Rev003